

## Herbal Alternatives to Antibiotics

Gene Bruno, MS, MHS, RH(AHG)

Dean of Academics—Huntington College of Health Sciences

1. Antibiotics Aren't Always the Answer. Page last reviewed: November 18, 2013. Page last updated: December 16, 2013. Centers for Disease Control and Prevention. Retrieved December 28, 2013 from <http://www.cdc.gov/features/getsmart/>
2. Conly J. Controlling antibiotic resistance by quelling the epidemic of overuse and misuse of antibiotics. *Canadian Family Physician*. 1998;44:1796-1784.
3. Lewis R. The Rise of Antibiotic-Resistant Infections. *FDA Consumer Magazine*; September 1995.
4. Whitney CG, Farley MM, Hadler J, et al. Increasing prevalence of multidrug-resistant streptococcus pneumoniae in the United States. *N Engl J Med*. 2000;343(26), 1917-24.
5. Costelloe C, Metcalfe C, Lovering A, Mant D, Hay AD. Effect of antibiotic prescribing in primary care on antimicrobial resistance in individual patients: systematic review and meta-analysis. *BMJ*. 2010 May 18;340:c2096.
6. Kelland K. Scientists find new MRSA superbug in cows, humans. Reuters. June 2, 2011. Retrieved August 9, 2011 from <http://www.reuters.com/article/2011/06/02/us-bacteria-mrsa-idUSTRE7517NH20110602>.
7. Melnick M. MRSA is on the rise among children: Could antibiotics be to blame? *Time*. August 15, 2011. Retrieved August 17, 2011 from <http://healthland.time.com/2011/08/15/mrsa-is-on-the-rise-among-children-could-antibiotics-be-to-blame>.
8. CDC. Get Smart: Know When Antibiotics Work. November 15, 2010. Retrieved August 16, 2011 from <http://www.cdc.gov/Features/GetSmart/>.
9. Castillo M. Less than half of Americans recognize antibiotic overuse as a problem. *CBS News*. November 13, 2012, 4: 31 PM. Retrieved December 28, 2013 from <http://www.cbsnews.com/news/less-than-half-of-americans-recognize-antibiotic-overuse-as-a-problem/>.
10. U.S. Congress, Office of Technology Assessment. Impact of Antibiotic-Resistant Bacteria 72 A-H-629 (Washington, D.C., U.S. G.P.O.). 1995. Supra note 16, at 127-29, 134; see infra § IV.C.3.
11. Watson RL, Dowell SF, Jayaraman M, et al. Antimicrobial use for pediatric upper respiratory infections: Reported practice, actual practice, and parent beliefs. *Pediatrics*. 1999;104(6), 1251-7.
12. Linder JA, Bates DW, Lee GM, et al. Antibiotic treatment of children with sore throat. *JAMA*. 2005;294(18), 2315-22.
13. Richman PB, Garra G, Eskin B, et al. Oral antibiotic use without consulting a physician: A survey of ED patients. *Am J Emerg Med*. 2001;19(1), 57-60.
14. Union of Concerned Scientists. Slaughter Bill Would Protect Public from Dangerous Antibiotics Overuse in Livestock Production. March 9, 2011. Retrieved July 29, 2011 from [http://www.ucsusa.org/news/press\\_release/slaughter-bill-protect-public-from-antibiotics-overuse-0511.html](http://www.ucsusa.org/news/press_release/slaughter-bill-protect-public-from-antibiotics-overuse-0511.html).
15. Los Angeles Times. 'Superbugs' in our food. August 6, 2011. Retrieved August 9, 2011 from <http://articles.latimes.com/2011/aug/06/opinion/la-ed-antibiotics-20110806>.
16. Sintchenko V, Iredell JR, Gilbert GL, et al. What do physicians think about evidence-based antibiotic use in critical care? A survey of Australian intensivists and infectious disease practitioners. *Intern Med J*. 2001;31(8), 462-9.
17. Americans' Knowledge Of And Attitudes Toward Antibiotic Resistance: A report of findings from a national survey and two focus groups. Research Conducted On Behalf Of: The Pew Health Group By Hart Research Associates And Public Opinion Strategies. November 2012. Retrieved December 28, 2013 from [http://www.pewhealth.org/uploadedFiles/PHG/Content\\_Level\\_Pages/In\\_the\\_News/abx-poll-summary.pdf](http://www.pewhealth.org/uploadedFiles/PHG/Content_Level_Pages/In_the_News/abx-poll-summary.pdf).
18. Bruno G. *Ailments & Natural Remedies*. New York: 59th Street Bridge Publishing Corp.; 2001
19. Blumenthal M, Hall T, Goldberg A, Kunz T, Dinda K (eds.). *The ABC Clinical Guide to Herbs*. Austin TX: American Botanical Council; 2003:88-96.
20. See DM, Broumand N, Sahl L, Tilles JG. In vitro effects of echinacea and ginseng on natural killer and antibody-dependent cell cytotoxicity in healthy subjects and chronic fatigue syndrome or acquired immunodeficiency syndrome patients. *Immunopharmacol* 1997;35:229-35.
21. Leuttig B, Steinmuller C, Gifford GE, et al. Macrophage activation by the polysaccharide arabinogalactan isolated from plant cell cultures of *Echinacea purpurea*. *J Natl Cancer Inst* 1989;81:669-75.
22. Melchart D, Linde K, Worku F, et al. Immunomodulation with Echinacea—a systematic review of controlled clinical trials. *Phytomedicine* 1994;1:245-54.
23. Dorn M, Knick E, Lewith G. Placebo-controlled, double-blind study of *Echinacea pallida* redix in upper respiratory tract infections. *Comp Ther Med* 1997;5:40-2.
24. Blumenthal M, Hall T, Goldberg A, Kunz T, Dinda K (eds.). *The ABC Clinical Guide to Herbs*. Austin TX: American Botanical Council; 2003:88-96.
25. Brinkeborn RM, Shah DV, Degenring FH. Echinaforce and other Echinacea fresh plant preparations in the treatment of the

- common cold. A randomized, placebo controlled, double-blind clinical trial. *Phytomedicine* 1999; 6(1):1-6.
26. Melchart D, Walther E, Linde K, et al. Echinacea root extracts for the prevention of upper respiratory tract infections: A double-blind, placebo-controlled randomized trial. *Arch Fam Med* 1998;7:541-5.
  27. Grimm W, Müller HH. A randomized controlled trial of the effect of fluid extract of Echinacea purpurea on the incidence and severity of colds and respiratory tract infections. *Am J Med* 1999;106:138-43.
  28. Henneicke von Zepelin H, Hentschel C, Schnitker J, et al. Efficacy and safety of a fixed combination phytomedicine in the treatment of the common cold (acute viral respiratory tract infection): results of a randomised, double blind, placebo controlled, multicentre study. *Curr Med Res Opin* 1999; 15(3):214-27.
  29. Brinkeborn RM, Shah DV, Degenring FH. Echinaforce and other Echinacea fresh plant preparations in the treatment of the common cold. A randomized, placebo controlled, double blind clinical trial. *Phytomedicine* 1999; 6(1):1-6.
  30. Shah SA, Sander S, White CM, Rinaldi M, Coleman CI. Evaluation of echinacea for the prevention and treatment of the common cold: a meta-analysis. *The Lancet Infectious Diseases* 2007; (7)7:473-480.
  31. Blumenthal M (ed), et al. *The Complete German Commission E Monographs: Therapeutic Guide to Herbal Medicines / CD version*. Austin, Texas: American Botanical Council; 1998.
  32. Mills S, Bone K. *Principles and Practice of Phytotherapy*. Edinburgh: Churchill Livingstone; 2000.
  33. Blumenthal M, Hall T, Goldberg A, Kunz T, Dinda K (eds.). *The ABC Clinical Guide to Herbs*. Austin TX: American Botanical Council; 2003:88-96.
  34. Blumenthal M, Hall T, Goldberg A, Kunz T, Dinda K (eds.). *The ABC Clinical Guide to Herbs*. Austin TX: American Botanical Council; 2003:88-96.
  35. Jurcic K, Melchart D, Holzmann M, Martin P, et al. Zwei Probandenstudien zur Stimulierung der Granulozyten-phagozytose durch Echinacea-Extrakt-haltige Präparate. *Z Phytother* 1989;10(2):67-70.
  36. Bone K. Echinacea: When Should It Be Used? *Alt Med Rev* 1997; 2(6):451-458.
  37. Bone K. *Clinical Applications of Ayurvedic and Chinese Herbs: Monographs for the Western Herbal Practitioner*. Queensland, Australia: Phytotherapy Press; 1996:96-100.
  38. Bone K. *Clinical Applications of Ayurvedic and Chinese Herbs: Monographs for the Western Herbal Practitioner*. Queensland, Australia: Phytotherapy Press; 1996:96-100.
  39. Thamlikitkul V, Dechatiwongse T, Theerapong S, et al. Efficacy of *Andrographis paniculata*, Nees for pharyngotonsillitis in adults. *J Med Assoc Thai* 1991;74:437-42.
  40. Melchior J, Palm S, Wikman G. Controlled clinical study of standardized *Andrographis paniculata* extract in common cold—a pilot trial. *Phytomedicine* 1996;3:314-8.
  41. Hancke J, Burgos R, Cáceres D, Wikman G. A double-blind study with a new monodrug Kan Jang: Decrease of symptoms and improvement in recovery from common colds. *Phytother Res* 1995;9:559-62.
  42. Cáceres DD, Hancke JL, Burgos RA, et al. Use of visual analogue scale measurements (VAS) to assess the effectiveness of standardized *Andrographis paniculata* extract SHA-10 in reducing the symptoms of common cold. A randomized double blind-placebo study. *Phytomedicine* 1999;6:217-23.
  43. Mills S, Bone K. *Principles and Practice of Phytotherapy*. Edinburgh: Churchill Livingstone; 2000:534-541.
  44. Bohn B, Nebe CT, Birr C. Flow cytometric studies with *Eleutherococcus senticosus* extract as an immunomodulating agent. *Arzneim-Forsch Drug Res* 1987;37:1193-6.
  45. Kulichenko LL, Kireyeva LV, Malyschkina EN, Wikman G. A Randomized, Controlled Study of Kan Jang versus Amantadine in the Treatment of Influenza in Volgograd. *Journal of Herbal Pharmacotherapy* 2003; 3(1):77-93.
  46. Melchior J, Spasov AA, Ostrovskij OV, Bulanov AE, Wikman G. Double-blind, placebo-controlled pilot and Phase III study of activity of standardized *Andrographis paniculata* Herba Nees extract fixed combination (Kan jang) in the treatment of uncomplicated upper-respiratory tract infection. *Phytomedicine* 2000; 7(5):341-350.
  47. Gabrielian ES, Shukarian AK, Goukasova GI, Chandanian GL, Panossian AG, Wikman G, Wagner H. A double blind, placebo-controlled study of *Andrographis paniculata* fixed combination Kan Jang in the treatment of acute upper respiratory tract infections including sinusitis. *Phytomedicine* 2002; 9:589-597.
  48. Rehman J, Dillow JM, Carter SM, et al. Increased production of antigen specific immunoglobulins G and M following in vivo treatment with the medicinal plants *Echinacea angustifolia* and *Hydrastis canadensis*. *Immunol Lett* 1999; 68(2-3):391-5.
  49. Gentry EJ, Jampani HB, Keshavarz Shokri A, et al. Antitubercular natural products: berberine from the roots of commercial *Hydrastis canadensis* powder. Isolation of inactive 8 oxotetrahydrothalifendine, canadine, beta hydrastine, and two new quinic acid esters, hycandinic acid esters 1 and 2. *J Nat Prod* 1998; 61(10):1187-93.
  50. Amin AH, Subbaiah TV, Abbasi KM. Berberine sulfate: antimicrobial activity, bioassay, and mode of action. *Can J Microbiol* 1969;15:1067-76.
  51. Sun DX, Abraham SN, Beachey EH. Influence of berberine sulfate on synthesis and expression of pap fimbrial adhesin in uropathogenic *Escherichia coli*. *Antimicrob Agents Chemother* 1988;32:1274-7.
  52. Kim SH, Shin DS, Oh MN, et al. Inhibition of the bacterial surface protein anchoring transpeptidase sortase by isoquinoline alkaloids. *Biosci Biotechnol Biochem* 2004;68:421-4.
  53. Sheng WD, Jiddawi MS, Hong XQ, Abdulla SM. Treatment of chloroquine-resistant malaria using pyrimethamine in combination with berberine, tetracycline or cotrimoxazole. *East Afr Med J*. 1997 May;74(5):283-4.
  54. Rabbani GH, Butler T, Knight J, Sanyal SC, Alam K. Randomized controlled trial of berberine sulfate therapy for diarrhea due

to enterotoxigenic *Escherichia coli* and *Vibrio cholerae*. *J Infect Dis*. 1987 May;155(5):979-84.

55. Liu X, Han Y, Peng K, Liu Y, Li J, Liu H. Effect of Traditional Chinese Medicinal Herbs on *Candida* spp. from Patients with HIV/AIDS. *Adv Dent Res*. 2011;23(1):56-60.
56. Park KS, Kang KC, Kim JH, Adams DJ, Johng TN, Paik YK. Differential inhibitory effects of protoberberines on sterol and chitin biosyntheses in *Candida albicans*. *J Antimicrob Chemother*. 1999;43(5):667-74.
57. Yordanov M, Dimitrova P, Patkar S, Saso L, Ivanovska N. Inhibition of *Candida albicans* extracellular enzyme activity by selected natural substances and their application in *Candida* infection. *Can J Microbiol*. 2008;54(6):435-40.
58. Jones K. *Shiitake: The Healing Mushroom*. Rochester, VT: Healing Arts Press, 1995.
59. Chang R. Functional properties of edible mushrooms. *Nutr Rev* 1996;54(11 Pt 2):S91-3.
60. Jones K. Shiitake<sup>®</sup> A major medicinal mushroom. *Alt Compl Ther* 1998;4:53-9.
61. Taguchi I. Clinical efficacy of lentinan on patients with stomach cancer: End point results of a four-year follow-up survey. *Cancer Detect Prevent Suppl* 1987;1:333-49.
62. Matsuoka H, Seo Y, Wakasugi H, et al. Lentinan potentiates immunity and prolongs survival time of some patients. *Anticancer Res* 1997;17:2751-6.
63. Ye SF, Ichimura K, Wakame K, Ohe M. Suppressive effects of Active Hexose Correlated Compound on the increased activity of hepatic and renal ornithine decarboxylase induced by oxidative stress. *Life Sci* 2003;74:593-602.
64. Ye SF, Ichimura K, Wakame K, Ohe M. Suppressive effects of Active Hexose Correlated Compound on the increased activity of hepatic and renal ornithine decarboxylase induced by oxidative stress. *Life Sci* 2003;74:593-602.
65. Kidd PM. The use of mushroom glucans and proteoglycans in cancer treatment. *Altern Med Rev* 2000;5(1):4-27.
66. Aviles H, O'Donnell P, Sun B, Sonnenfeld G. Active hexose correlated compound (AHCC) enhances resistance to infection in a mouse model of surgical wound infection. *Surg Infect (Larchmt)* 2006;7(6):527-35.
67. Terakawa N, Matsui Y, Satoi S, et al. Immunological effect of active hexose correlated compound (AHCC) in healthy volunteers: a double-blind, placebo-controlled trial. *Nutr Cancer* 2008;60(5):643-51.
68. Matsui Y, Uhara J, Satoi S, et al. Improved prognosis of postoperative hepatocellular carcinoma patients when treated with functional foods: a prospective cohort study. *J Hepatol* 2002;37(1):78-86.
69. Cowawintaweewat S, Manoromana S, Sriplung H, Khuhaprema T, Tongtawe P, Tapchaisri P, Chaicumpa W. Prognostic improvement of patients with advanced liver cancer after active hexose correlated compound (AHCC) treatment. *Asian Pac J Allergy Immunol* 2006;24(1):33-45.
70. Malik A, Afaq A, Sarfaraz S, Adhami VM, Syed DN, Mukhtar H. Pomegranate fruit juice for chemoprevention and chemotherapy of prostate cancer. *PNAS* 2005; 102:14813-14818.
71. Wikipedia. Pomegranate. Retrieved March 21, 2007 from [http://en.wikipedia.org/wiki/Pomegranate#\\_note-7](http://en.wikipedia.org/wiki/Pomegranate#_note-7).
72. Lansky EP, Newman RA. *Punica granatum* (pomegranate) and its potential for prevention and treatment of inflammation and cancer. *Journal of ethnopharmacology* 2007; 109(2):177-206.
73. Reddy MK, Gupta SK, Jacob MR, et al. Antioxidant, antimalarial and antimicrobial activities of tannin-rich fractions, ellagitannins and phenolic acids from *Punica granatum* L. *Planta medica* 2007; 73(5):461-7.
74. Semba RD. Vitamin A, immunity, and infection. *Clin Infect Dis* 1994;19:489-99
75. Bruno G. *Ailments & Natural Remedies*. New York: 59th Street Bridge Publishing Corp.; 2001
76. Fraker PJ, Gershwin ME, Good RA, Prasad A. Interrelationships between zinc and immune function. *Fed Proc* 1986;45:1474-9.
77. Duchateau J, Delespesse G, Vereecke P. Influence of oral zinc supplementation on the lymphocyte response to mitogens of normal subjects. *Am J Clin Nutr* 1981;34:88-93.
78. Petricevic L, Witt A. The role of *Lactobacillus casei rhamnosus* Lcr35 in restoring the normal vaginal flora after antibiotic treatment of bacterial vaginosis. *BJOG*. 2008 Oct;115(11):1369-74.
79. Bohbot JM, Cardot JM. Vaginal impact of the oral administration of total freeze-dried culture of LCR 35 in healthy women. *Infect Dis Obstet Gynecol*. 2012;2012:503648.
80. Dapoigny M, Piche T, Ducrotte P, Linaud B, Cardot JM, Bernalier-Donadille A. Efficacy and safety profile of LCR35 complete freeze-dried culture in irritable bowel syndrome: a randomized, double-blind study. *World J Gastroenterol*. 2012 May 7;18(17):2067-75.



